

Understanding

---

# Hodgkin lymphoma

Caring for people with cancer

## Understanding

---

# Hodgkin lymphoma

This booklet has information on:

- Treatment for Hodgkin lymphoma
- Side-effects and how to manage them
- Coping with the emotional side of cancer
- Financial and practical matters

### Useful numbers

Specialist nurse

---

Family doctor (GP)

---

Haematologist

---

Medical oncologist

---

Radiation oncologist

---

Radiation therapist

---

Medical social worker

---

Emergency

---

Hospital records number (MRN)



# Contents

About Hodgkin lymphoma	7
Diagnosis and tests	13
Treating Hodgkin lymphoma	25
Types of treatment	39
Managing side-effects and symptoms	61
After treatment	69
Coping and emotions	75
Supporting someone with cancer	85
Support resources	91
What does that word mean?	104
Questions to ask your doctor	107

# Fast facts

## Can my cancer be treated?

Page 25

Yes. Hodgkin lymphoma can be treated with chemotherapy and other cancer drugs, radiotherapy and occasionally with a stem cell transplant.

## Will I be OK?

Page 58

Many people have no further problems after their first treatment for Hodgkin lymphoma. Even if it does come back (recur), it can still be treated successfully with chemotherapy.

## Are there side-effects from treatment?

Page 61

Some treatments can cause side-effects, but they usually go away after you finish treatment. You can read about the different treatments to learn more about possible side-effects.

**There are treatments to help with most side-effects, so tell your doctor if you have any. Don't suffer in silence!**

## We're here for you

Page 96

If you or your family have any questions or worries, want to know where to get support, or if you just need to talk, you can talk to one of our cancer nurses.

### Ways to get in touch

- Call our Support Line on 1800 200 700
- Drop into a Daffodil Centre.  
Email [daffodilcentreinfo@irishcancer.ie](mailto:daffodilcentreinfo@irishcancer.ie) to find your local Daffodil Centre.
- Email us: [supportline@irishcancer.ie](mailto:supportline@irishcancer.ie)

See page 96 for more about our services.



## Reading this booklet



This booklet is to help you throughout your cancer treatment and afterwards. You will probably find different sections useful at different times, so keep it for reference.

If you need more information or don't understand something, ask your doctor or nurse. You can also ask one of our cancer nurses:

- Call our Support Line on Freephone 1800 200 700
- Visit a Daffodil Centre
- Email the nurses at [supportline@irishcancer.ie](mailto:supportline@irishcancer.ie)

*We cannot give advice about the best treatment for you. Talk to your hospital team about your treatment and care – they know your medical history and your individual circumstances.*



Support Line Freephone 1800 200 700


## About Hodgkin lymphoma

What is cancer?	9
What is the lymphatic system and what does it do?	9
What is lymphoma?	10
What is Hodgkin lymphoma?	10
What are the types of Hodgkin lymphoma?	10
How common is Hodgkin lymphoma?	12
What caused my cancer?	12

## What is cancer?

### Cancer is a disease of the body's cells

Cancer cells are abnormal cells that grow without control and spread into surrounding tissues.




## What is the lymphatic system and what does it do?

The lymphatic system is part of the body's immune system, which protects us from infection and disease. It is made up of lymph nodes connected by tiny tubes called lymph vessels.

If cancer cells spread into lymph nodes or cancer starts in the lymph nodes they can become swollen.

### Parts of the lymphatic system

- **Lymph vessels:** Transport excess fluid and waste from body tissues and filter bacteria and viruses
- **Lymph nodes (or lymph glands):** Contain infection-fighting white blood cells called lymphocytes. There are two types of lymphocytes, B-cells and T-cells. Lymph nodes often swell when they are fighting infection, which is a normal, healthy response. Lymph nodes are found mainly in the neck, armpit, groin and tummy
- **The spleen:** Helps to filter out damaged cells from the blood and also to fight infection
- **Other body organs:** Your tonsils, adenoids, thymus, spleen and bone marrow



Sometimes cancer cells spread into lymph nodes or cancer can start in the lymph nodes themselves.

## What is lymphoma?

Lymphoma is a cancer of your lymphatic system.

Lymphoma happens when lymphocytes (white blood cells) grow in an abnormal way. The abnormal cells start to collect in your lymphatic system, particularly the lymph nodes. This causes swellings, known as lymphomas.

There are different types of lymphoma. They all start with a cancerous lymphocyte cell.

## What is Hodgkin lymphoma?

Lymphomas are described as either Hodgkin lymphoma or non-Hodgkin lymphoma. Most lymphomas are non-Hodgkin. About 1 in 5 is Hodgkin lymphoma.

Hodgkin lymphoma is identified by the way the lymphocyte cells look under the microscope. With Hodgkin lymphoma, lymphocytes are enlarged. These abnormal lymphocytes have two nuclei and are known as Reed-Sternberg cells. The cells are named after two scientists called Reed and Sternberg. Reed-Sternberg cells are only found with Hodgkin lymphoma.

## What are the types of Hodgkin lymphoma?

Hodgkin lymphoma is divided into two types:

- **Classical Hodgkin lymphoma**
- **Nodular lymphocyte-predominant Hodgkin lymphoma (NLPHL)**

These types describe the disease in more detail, such as what the affected lymph nodes look like under the microscope and what other cells are present. In each type, Reed-Sternberg cells are present. The amount of Reed-Sternberg cells can vary between the types of lymphoma and can be mixed with many normal cells.

Knowing the type of Hodgkin lymphoma you have will help the doctors to decide on which treatment will work best for you.

## Classical Hodgkin lymphoma


Most cases of Hodgkin lymphoma are of the classical type. Classical Hodgkin lymphoma is divided into four subtypes:

**Nodular sclerosing:** The most common subtype. It mainly affects younger adults and women. Is it usually found in the early stages, when a lymph node becomes enlarged

**Mixed cellularity:** More common in men than in women, and in people with HIV

**Lymphocyte rich:** Quite rare. Mainly affects children

**Lymphocyte depleted:** Rare form of the disease. Most often occurs in older people



Classical Hodgkin lymphoma with Reed-Sternberg cells (in brown)

## Nodular lymphocyte-predominant Hodgkin lymphoma (NLPHL)

This type of lymphoma is very rare, accounting for only 1 in 20 of all Hodgkin lymphomas. It is usually diagnosed at an early stage and is usually slow growing. It tends to occur more in men and is often diagnosed in older people but can also occur in young adults. When seen under the microscope, there are some abnormal cells that look like popcorn, but few Reed-Sternberg cells. Although slow growing, over time NLPHL can transform into a form of aggressive non-Hodgkin lymphoma known as diffuse large B-cell lymphoma (DLBCL).

For more information about the types of Hodgkin lymphoma, call our Support Line on 1800 200 70 or visit a Daffodil Centre.

## How common is Hodgkin lymphoma?

Hodgkin lymphoma is a rare cancer that can affect both men and women. It affects mostly younger people between the ages of 15 and 30, and people aged 65 and over. About 150 people are diagnosed with it in Ireland each year.

## What caused my cancer?

We don't know exactly what causes many cancers, but there are things that can increase your risk of getting cancer. If you want to know more about why cancer happens or to learn about risk factors for Hodgkin lymphoma, see our website [www.cancer.ie](http://www.cancer.ie) or talk to a cancer nurse – call our Support Line or visit a Daffodil Centre.

Support Line Freephone 1800 200 700

# Diagnosis and tests

Being diagnosed with Hodgkin lymphoma	15
What tests will I have?	17
Staging Hodgkin lymphoma	21
How is Hodgkin lymphoma staged?	22
Asking about your prognosis	23

## Being diagnosed with Hodgkin lymphoma

Hearing that you have cancer can be a huge shock. You may be feeling:

- **Upset and overwhelmed** by your emotions
- **Confused** by all the information being given to you
- **Worried** about what will happen next

*However you feel, you are not alone.*

If you need to talk to someone, or if you want support or advice:

- Ask to speak to the cancer (oncology) liaison nurse or haematology nurse, or the medical social worker at the hospital. They can help you and your family to cope with your feelings and advise you about practical matters.
- Talk to one of our cancer nurses in confidence – visit a Daffodil Centre or call our Support Line on 1800 200 700. You can email the nurses at [supportline@irishcancer.ie](mailto:supportline@irishcancer.ie)
- Speak to an Irish Cancer Society Survivor Support volunteer who has had a cancer diagnosis and really knows what you are going through. Our cancer nurses can put you in touch with a volunteer.
- Talk to other people affected by cancer. Join our online community at [www.cancer.ie/community](http://www.cancer.ie/community)
- Go to your local cancer support centre. For more information, see page 102.


Support Line Freephone 1800 200 700

## Telling people about your diagnosis



Telling people about your diagnosis can help you to get support from friends and family. But you may feel you don't want to tell people straight away. You may be unsure how to break the news. You may also worry about how other people will react. For example, they may fuss over you or be upset.

If you would like to talk things over with a cancer nurse, call our Support Line on 1800 200 700 or visit a Daffodil Centre. You can also ask for a copy of our booklet *Understanding the Emotional Effects of Cancer*. It can help you find ways to talk about your cancer and to ask for the help and support you need. See also page 102 for information about support centres in your area.



## What tests will I have?

- Tests you may have include blood tests, scans and bone marrow tests.
- The tests will tell your medical team more about your cancer and help them to decide on the best treatment for you.

The following tests give doctors more information about your cancer. Some tests may also be used to see how well you are responding to treatment.


### Blood tests

Your blood will be tested to see how many red cells, white cells and platelets are in your blood. Your blood will also be checked regularly for a protein called lactate dehydrogenase (LDH). If the level of this protein is high, it can help identify cell damage sometimes caused by cancer. Other blood tests can check how well your kidneys and liver are working. These tests will also be done regularly if you are having chemotherapy, to check the effects of the treatment on your body.



## PET scan

A PET scan can show if the cancer has developed in other tissues and organs. A low dose of radioactive sugar is injected into your arm. An hour or so later you will have a scan. The radioactivity can highlight cancer cells in your body. During the scan, you will lie on a table which moves through a scanning ring. The scan can last up to an hour. Before the scan, you may have to fast (not eat) for a few hours.



Left: A PET scan with no lymphoma cells.  
Right: PET scan showing lymphoma cells (in pink) in left armpit and upper chest

You will be slightly radioactive for 6 hours after the sugar injection. You should avoid contact with young children and pregnant women during this time. You may have to travel to a specialist centre to have a PET scan, as not every hospital has these scanners. PET scans are important for managing Hodgkin lymphoma. They can show how well the cancer is responding to treatment.

## CT scan (CAT scan)

This is a special type of X-ray that gives a detailed 3D picture of the tissues inside your body. You might be asked to fast (not eat) for a few hours before the test. You may also be given an injection or a special drink to help show up parts of your body on the scan. The injection may make you feel hot all over for a few minutes.

During the scan you will lie on a table which passes through a large doughnut-shaped machine. The scan is painless and takes between 10 and 30 minutes. You'll probably be able to go home as soon as the scan is over.

For most scans you will be alone in the treatment room, but the medical staff can still see you and hear you. If you need anything, just speak or raise your hand.

## Bone marrow tests

Your consultant may decide to do a bone marrow aspiration and biopsy – although it is not always necessary. Your bone marrow is a jelly-like substance found in the centre of your large bones. Bone marrow is responsible for making your blood cells. Sometimes with Hodgkin lymphoma, abnormal lymphocyte cells can spread to the bone marrow.

A bone marrow aspiration takes a sample of bone marrow cells, which is the liquid part of your marrow. A trephine (biopsy) takes a piece of whole bone. Both can be done at the same time. The samples are usually taken from the back of your pelvis at your hipbone.

Before the test you will be given a local anaesthetic to numb the area. A needle is then passed through your skin into your bone marrow. A tiny sample of the bone marrow is taken. You will feel some discomfort during the test. The test usually lasts 15–20 minutes. The area may feel tender and sore for a few days afterwards. You may need to take a mild painkiller for a day or two. The sample is examined under a microscope to see if there are any lymphoma cells present.

## MRI scan

This is a scan that uses magnetic energy to build up a picture of the tissues inside your body. During the test you will lie inside a tunnel-like machine. Some people are afraid they will feel claustrophobic inside the tunnel. Tell the radiation therapist if you're feeling anxious.

During the scan you cannot wear metal jewellery. If you have any medical device in your body, like a pacemaker or pin, you may not be suitable for the test.

An MRI can also be noisy, but you will be given earplugs / headphones to wear. You might get an injection before the scan to show up certain parts of your body. Usually you can go home soon after the scan.

## Ultrasound scan

This is a scan which uses sound waves to create a picture of the inside of your body. It is done in the X-ray department of the hospital. The scan is painless and only takes a few minutes.

Some gel is put on your abdomen (tummy) and then a small hand-held device is passed over the gel – this can check if your liver is affected by the cancer.

## Other tests

Some chemotherapy drugs might weaken your heart muscle. In this case, you might need an echocardiogram (Echo) scan before treatment to check how well your heart is working. An Echo is a type of ultrasound scan used to look at the heart and nearby blood vessels.

Sometimes chemotherapy drugs may affect your lungs and cause a cough, chest pain or shortness of breath. You may have breathing tests (pulmonary function tests) to measure how well your lungs are working before you start treatment. These usually involve you breathing into a measuring device. Your doctor will give you more advice.

## Waiting for test results

It usually takes about a week for all the test results to come back. Naturally, this can be an anxious time for you. It may help to talk things over with the specialist nurse or with a relative or close friend. You can also call our Support Line on **1800 200 700** or visit a Daffodil Centre to speak to a cancer nurse.

## Staging Hodgkin lymphoma



- Staging describes if you have any symptoms and how many places in your body are affected by the cancer.
- Staging helps your doctor to decide the best treatment for you.
- Your prognosis is what your doctor expects to happen with your cancer.

The tests you have after diagnosis are usually done to help the doctor to stage your cancer. Staging for Hodgkin lymphoma describes if you have any symptoms and how many places in your body are affected by the cancer.

Hodgkin lymphoma usually starts in the lymph nodes in the upper part of the body, such as in the neck, armpits or chest. When staging Hodgkin lymphoma, it is important to see if the lymphoma is above or below the diaphragm. The diaphragm is a thin layer of muscle that separates the chest area from the abdomen. Staging is also based on whether the cancer is within the lymphatic system, or is outside the lymphatic system (extranodal) in an organ, blood or bone marrow. Staging is very important, as it helps your doctor to decide the best treatment for you.

## How is Hodgkin lymphoma staged?

Hodgkin lymphoma is defined as stages 1 to 4, depending on how many lymph nodes or organs are involved. Your disease will also be given a letter code: A, B, E or S. The full staging will include a number and a letter. For example, early-stage Hodgkin lymphoma may be staged at a 1A, meaning you have one group of lymph nodes affected and you have no symptoms. See below for further explanations of each number and letter.

### Number stages

**Stage 1:** One group of lymph nodes is affected on one side of your diaphragm (either above or below your diaphragm)

**Stage 2:** Two or more groups of lymph nodes are affected either above or below your diaphragm

**Stage 3:** Lymph nodes are affected above and below your diaphragm

**Stage 4:** Lymphoma can be found in organs outside your lymphatic system or in your bone marrow

In general, the lower the number, the less advanced the cancer.

### Early- and advanced-stage lymphoma

**Early stage:** This includes stage 1 and possibly stage 2.

**Advanced stage:** This is usually stage 2, 3 or 4.

Email: [supportline@irishcancer.ie](mailto:supportline@irishcancer.ie)

### Letter codes

**A:** No symptoms

**B:** You have symptoms, such as weight loss, fever and night sweats

**E:** The lymphoma is in unusual places outside your lymph nodes. For example, in your stomach. This is called extranodal lymphoma (the letter E stands for extranodal)

**S:** The lymphoma is in your spleen

### Recurrent or relapsed lymphoma

This is when the disease comes back after treatment. It can still be treated successfully, depending on the stage.

Staging can be hard to understand, so ask your doctor and nurse for more information if you need it.

### Asking about your prognosis



Your prognosis includes information about how your cancer is likely to progress, including average survival times or life expectancy.

It's not always easy for doctors to answer a question about life expectancy. Everyone is different, so what happens to you might be quite different from what the doctor expects.

## Should I ask about my prognosis?

If your prognosis is better than expected, you may feel more hopeful about your illness and your future. You may feel more in control by having as much information as possible. Or you may not want to know about your prognosis. You may prefer not to think about the future too much or you may worry how you will cope if you get bad news.

If you decide you want information on your prognosis:

- **Think carefully about how you will cope with the information** before asking for your prognosis.
- **Get information on your prognosis from your doctor.** They know your individual circumstances. Your doctor can also support you in understanding the information and answer any questions you have.
- **Ask a friend or family member to go with you**, if you would like some support.
- **Be careful with online information.** It may be hard to understand or even incorrect. Also, the information may not really apply to your situation or to your particular cancer type. Ask your doctor or nurse specialist for recommended websites.
- **Accept that you will need some time to think about what you have been told.** You may forget some things or there may be things you didn't understand. You may need to talk to your doctor again after you have thought about everything.
- **Get emotional support if you need it.** If you feel upset or anxious about your prognosis you can get support from friends, family or your hospital team. You can also call our Support Line on 1800 200 700, visit a Daffodil Centre or email [supportline@irishcancer.ie](mailto:supportline@irishcancer.ie). Our cancer nurses can give you support, information and advice. They can also tell you about free counselling and other services that can help you.

## Treating CML

How is Hodgkin lymphoma treated?	27
What is remission?	29
Deciding on treatment	29
Who will be involved in my care?	31
Giving consent for treatment	33
Waiting for treatment to start	34
How can I help myself?	35

## How is Hodgkin lymphoma treated?

- Chemotherapy, radiotherapy and high-dose chemo with stem cell support are used to treat Hodgkin lymphoma.
- A team of healthcare professionals will be looking after you (multidisciplinary team).

Hodgkin lymphoma can be treated very successfully. The type of treatment you receive will depend on:

- The stage of the disease
- Your age and general health
- If you have symptoms, such as weight loss or fever

In most cases the lymphoma is curable or it will show no signs of active disease (remission) after treatment.



## Types of treatment

Some people only need one type of treatment, while others need a combination of treatments. Most treatments are outpatient treatments, so you will not need to stay in hospital overnight.

**Chemotherapy:** Chemotherapy is the use of drugs to kill cancer cells. It can be given on its own or with other treatments, for example, steroids. See page 41 for more details.

**Radiotherapy:** Radiotherapy uses X-rays to destroy cancer cells. See page 49 for more details.

**Targeted therapies:** These are drugs that target certain parts of cancer cells that make them different from other cells. Targeted therapies are not commonly used for people newly diagnosed with Hodgkin lymphoma. See page 52 for more details.

**Immunotherapy:** Immunotherapy drugs help your immune system to work better to fight cancer cells. Immunotherapy is mostly used if your lymphoma hasn't responded to previous treatment or comes back after treatment.

**High-dose chemotherapy treatment and stem cell support:** This treatment might be given if Hodgkin lymphoma comes back after your first treatment or if the cancer has not responded to the treatment. It allows high doses of chemotherapy to be given to kill the lymphoma cells. See page 55 for more details.

## Stage of disease and treatment

Your treatment can also vary depending on the stage of the disease:

**Early-stage lymphoma:** In some rare cases you may not need to start treatment straight away, as the lymphoma may be slow growing. In these cases, your consultant will monitor your symptoms and may wait a while until treatment is required.

Some people with early-stage Hodgkin lymphoma will have chemotherapy only. Or, your course of chemotherapy may be followed by radiotherapy. Or you may have radiotherapy on its own.

How long your radiotherapy treatment lasts depends on where the cancer is.

**Advanced-stage lymphoma:** If you have advanced Hodgkin lymphoma, you will be treated with chemotherapy over 6 months. In some cases, the course of chemotherapy is followed by radiotherapy.

**Relapsed/refractory:** For a small number of people, the Hodgkin lymphoma may not respond well enough to treatment (refractory) or it may return (relapse). In this case, targeted therapies, immunotherapy, more chemotherapy and possibly radiotherapy may be suggested. Sometimes high-dose chemotherapy with stem cell support may be an option.

## What is remission?

Remission means the lymphoma is no longer active and is under control. It has been reduced or got rid of completely. A long-term remission can be either partial or complete.

**Complete remission:** There are no visible signs of the lymphoma after treatment. The longer you are in complete remission, the less likely it is that the lymphoma will come back.

**Partial remission:** The lymphoma has been reduced by at least a half but is not completely gone.

## Deciding on treatment

### Specialist cancer centres

Hodgkin lymphoma is treated in specialist cancer centres in Ireland. The staff at these centres are experienced in managing patients with Hodgkin lymphoma. As a result, you may be transferred to another hospital from the one where you received your diagnosis, depending on your diagnosis and your suggested treatment plan.

## Multidisciplinary team

A multidisciplinary team (MDT) is a team of specialists involved in caring for your type of cancer. For example, an oncologist/haematologist (cancer doctors), specialist nurse, radiologist and pathologist. The team will meet to discuss your test results and your suggested treatment plan.



## Understanding your treatment

Your doctor and nurse will explain your treatment options. Ask as many questions as you like. You could write down any questions you have in advance, so you don't forget anything. You could use the fill-in page at the back of this booklet for your questions and answers.

If you do forget something or need more explanations, ask your specialist nurse or talk to one of our cancer nurses – call our Support Line on 1800 200 700 or visit a Daffodil Centre.

## Time to think

It may feel as if everything is happening too fast. You may feel under pressure to make a decision. You can always ask for more time to decide about the treatment, if you are unsure when it's first explained to you.

## Second opinion

You might also find it reassuring to have another medical opinion to help you decide about your treatment. Your treating doctor or GP can refer you to another specialist for a second opinion if you feel this would be helpful.

## Accepting treatment

You have the right to find out what a treatment option means for you, and the right to accept or refuse it. If you want to refuse a particular treatment, let your doctor or nurse know your concerns first. It may help to talk to your GP as well. The important thing is that you are fully aware of the benefits and risks.

## Who will be involved in my care?

Some of the following health professionals may be involved in your care.

**Haematologist:** A doctor who specialises in disorders of the blood and lymphatic system.

**Medical oncologist/haematologist:** A doctor who specialises in treating cancer patients using chemotherapy and other drugs.

**Radiation oncologist:** A doctor who specialises in treating cancer patients using radiotherapy.

**Radiation therapist:** A person who delivers the radiotherapy and gives advice to cancer patients about their radiation treatment.

**Pathologist:** A doctor who examines any tissue samples taken and helps to reach a diagnosis.

**Oncology or haematology liaison nurse / clinical nurse specialist:** A specially trained nurse who works in a cancer care unit. They give information and reassurance to you and your family from diagnosis and throughout treatment.

**Medical social worker:** A person trained to help you and your family with any social issues or practical needs. They can give counselling and emotional support. They can give advice on social welfare benefits and financial matters and on practical supports and services, available to you from the time of your diagnosis, right through to returning to work.

**Dietitian:** An expert on food and nutrition. They are trained to give advice on diet during your illness and use diet to help symptoms.

**Staff nurses:** Nurses who are specially trained to give you your treatment.

**GP (family doctor):** You can talk to your GP about your medication and any side-effects you have. You can also contact your GP about any worries you have or if you are finding it hard to cope.

**Pharmacists:** Pharmacists – in hospital and in your local pharmacy – dispense chemotherapy and other cancer drugs. They can give advice on cancer drugs, such as how to take them, side-effects, and possible interactions between your cancer drugs and other medicines, food and drink, and supplements such as herbs and vitamins.

**Psycho-oncology team:** These are specialists in psychological care and support for cancer patients. Usually the team includes psychiatrists, clinical psychologists and nurses.

**Psychologist:** A specialist who can talk to you and your family about emotional and personal matters and can help you to make decisions.

**Counsellor:** A person trained to give you emotional support and advice when you find it difficult to come to terms with your illness.


**Community health services:** This includes family doctors, public health nurses (who can visit you at home), welfare officers and home help organisers. Your local health centre or the medical social worker in the hospital can advise you about these services.

## Giving consent for treatment

Before you start any treatment, you should be asked to sign a consent form saying that you understand what the treatment is for and that you give permission for treatment to be given. You should have been given full information about:

- What the treatment is for
- The type and amount of treatment you will have
- The benefits and risks of the treatment
- Possible side-effects from treatment
- Any other treatments that may be available

If you are confused about the information given to you, let your doctor or nurse know straight away. They can explain it to you again. Some treatments can be hard to understand and may need to be explained more than once. You can still change your mind after you have started treatment. Talk to your doctor or nurse if you have any worries about your treatment plan.



## Individual treatment



You may notice that other people with Hodgkin lymphoma are not getting the same treatment as you. Their cancer may not be the same type or at the same stage as yours. Treatment decisions can also depend on any previous treatments you have had and your general health. Everyone's treatment needs will be different. Don't be afraid to ask your doctor about your treatment.

## Waiting for treatment to start

Planning cancer treatment takes time. Most people want to start treatment right away. You may worry that the cancer will spread during this time.

Cancer treatment should start soon after diagnosis. But for most cancers, waiting for scans or treatment for a few weeks does not usually affect how well the treatment works.

If you are worried, talk to your doctor. You can also call our Support Line on 1800 200 700 or visit a Daffodil Centre to speak to a cancer nurse.

You might like to make some lifestyle changes while you're waiting for treatment. This can help you prepare for your treatment and feel more in control.

Email: [supportline@irishcancer.ie](mailto:supportline@irishcancer.ie)

## How can I help myself?

It can be very difficult to cope with a cancer diagnosis and all the changes that this can bring. Your healthcare team can offer you different types of support, but there are also things you can do yourself to prepare for treatment and feel better.

### Eat well

Eating well when you have cancer can help you feel better. It can help you to:

- Feel stronger and maintain a healthy weight
- Cope better with the side-effects of treatment
- Reduce the risk of infection
- Recover

Ask to talk to the dietitian at the hospital for advice on the best diet for you. You can also read our booklet *Diet and Cancer*. To get a copy, call our Support Line on 1800 200 700, visit a Daffodil Centre or download it on our website [www.cancer.ie](http://www.cancer.ie)



## Keep active

Keeping active has many benefits. It can help to:

- Reduce tiredness and some treatment side-effects
- Reduce anxiety and depression
- Improve your mood and quality of life
- Strengthen your muscles, joints and bones
- Reduce the risk of other health issues

Talk to your doctor or nurse before starting or increasing the amount of exercise you take. They can advise you on the type and amount of exercise that is safe for you. Be careful not to overdo it at the beginning, but build up gradually.



## Quit smoking

If you are coping with a cancer diagnosis, you may find it stressful to quit smoking. However, research tells us that:

- Non-smokers have fewer or less severe side-effects during cancer treatment
- Smoking can reduce how well chemotherapy or radiotherapy work
- Not smoking reduces the risk of other illnesses



If you would like advice or support on quitting, call the HSE Quit Team on CallSave 1800 201 203 or Freetext QUIT to 50100. Some hospitals have smoking cessation officers who can help and support you.

## Other ways to help yourself

### Get information about your cancer and treatment

Understanding cancer and its treatment and knowing what to expect can help to relieve anxiety and stress for some people. If it makes you anxious, you could ask a friend to do the research for you, and tell you anything important.

### Involve your family and close friends

Don't keep any worries or physical problems secret from the people closest to you. Ask someone close to you to come with you when you are visiting the doctor and when treatments will be discussed. Your friends and family will be affected by your diagnosis too, so try to talk openly and find ways to support each other.

### Use your support network

Don't be shy about asking for help. Family and friends may not know the best way to help you, so tell them what you need. For example, lifts to the hospital, practical help at home, child-minding or just some company or support. Telling people what you need and how they can help means you will get the right amount of support to suit you.

### Try relaxation and stress management techniques

Therapies like meditation or yoga can help you to cope with stress. Some cancer support centres provide groups to help you learn these techniques.

### Accept change in your life

Accept that you may not be able to carry on exactly as before. Give yourself time to adjust to your new routine.

### Know that there will be ups and downs

Sometimes people feel they have to be brave or positive all the time, but it's normal to have bad days. Get help if you are finding it hard to cope.

### Try to cope day by day

Don't think about the future too much. Concentrate on the present and getting through each day of tests or treatment. That way, you may find it easier to cope with your illness.



## Types of treatment

Chemotherapy	41
Steroids	47
Radiotherapy	49
Targeted therapies	52
Immunotherapy	54
High-dose treatment with stem cell support	55
Clinical trials	57
What if my illness comes back?	58

## Chemotherapy



- Chemotherapy uses drugs to kill cancer cells.
- Chemotherapy can cause a range of side-effects.
- Side-effects normally go after treatment ends.

Chemotherapy is a treatment that uses drugs to kill cancer cells. The doctor who specialises in chemotherapy is called a medical oncologist.

### How often will I have chemotherapy?

Chemotherapy is often given in cycles with a rest period between treatments to give your body time to recover. You will have blood tests before each chemotherapy treatment to check you are well enough to have your planned treatment. Your consultant will discuss your treatment plan with you before treatment starts and your clinical nurse specialist will give you any extra information you need.

The number of cycles of chemotherapy can vary, depending on the stage of your cancer and how well it is responding to treatment. It usually continues for between 3 and 6 months.

### How is chemotherapy given?

Chemotherapy may be given directly into a vein as an injection and/or through an intravenous infusion (by drip or pump). It may also be given in tablet form.

You may have a central venous access device fitted. This is a thin tube (line) which goes directly into a vein and stays in place until your treatment is over. This saves you having repeated injections. There are different types of central venous access devices, such as ports, Hickman lines and PICC lines. Usually your treatment will be given in the chemotherapy day care unit.

## What kinds of drugs are used?

There are several chemotherapy drugs used to treat Hodgkin lymphoma. The type of chemotherapy you get will depend on the type and stage of your illness. Often with Hodgkin lymphoma your doctor will advise a combination of 4-7 different chemotherapy drugs depending on the stage of your lymphoma. Occasionally you will be given steroids as well (see page 47).

Your doctor or nurse will discuss your treatment with you.



## Understanding your drug treatment

It's important that you understand the drugs you have been given. Ask your doctor or specialist nurse for more information about your drug treatment and any possible side-effects. They should give you a printed sheet to take home with you.

If you have any questions or need any more information, you can speak to our cancer nurses by calling our Support Line on 1800 200 700.

## What are the side-effects of chemotherapy?

The side-effects of chemotherapy vary from person to person and depend on the drugs used and the amount of chemotherapy given. Side-effects happen because chemotherapy can affect both healthy cells and cancer cells.

Most side-effects can be helped by medication. Usually the side-effects go away when the treatment ends or soon after. Side-effects may include:

### Fatigue

Fatigue is where you feel tired and weak and rest does not seem to help. For more information see page 63.

### Nausea and vomiting

Chemotherapy can cause nausea (feeling sick) and vomiting (being sick). Thinking or talking about the treatment can also make you feel sick. This is called anticipatory nausea. There are medications that work well to prevent nausea and vomiting.

### Infection

Chemotherapy drugs can make you more likely to catch infections. You will be asked to watch out for signs of infection at all times. These signs include feeling shivery and unwell, having a high or low temperature, having a cough, or pain passing urine.

### Anaemia

Chemotherapy can cause the bone marrow to make fewer red blood cells. Having fewer red blood cells is called anaemia. Anaemia can make you feel tired and breathless. Regular blood tests to measure your red cell count will be done during treatment.

### Bleeding and bruising

Chemotherapy can stop your bone marrow from making enough platelets. Platelets help make your blood clot and stop bleeding. With fewer platelets you may bleed or bruise very easily. Tell your doctor if you have any bruising or bleeding that you can't explain, such as nosebleeds or bleeding gums.

### Mouth and throat problems

Chemotherapy can cause mouth and throat problems including a dry mouth, ulcers and gum infections. There are many mouthwashes and medications to help, which your doctor can prescribe for you.

### Hair loss (alopecia)

Some chemotherapy drugs can cause hair loss from all over your body. How much hair falls out depends on the drug given, the dose and your own reaction to it. Hair will grow back after you stop chemo.

### Constipation and diarrhoea

Chemotherapy can cause constipation (not having a bowel movement often enough) and diarrhoea (frequent loose or watery bowel movements).

### Skin and nail changes

Skin may become dry, flaky and itchy. Nails may become dark, yellow or brittle.

### Peripheral neuropathy

Some drugs can affect your nerve endings. This is known as peripheral neuropathy. Tell your chemotherapy nurse or doctor if you have numbness or a tingling or burning sensation in your hands and feet.



### Changes in kidney function

Some drugs can irritate or damage kidney cells. Talk to your doctor if you have decreased urination, swelling of the hands or feet (oedema) or headaches, as these can be a sign of kidney damage.

### Infertility and birth defects

Some of the drugs used to treat Hodgkin lymphoma may cause infertility. It may be temporary or permanent. Chemotherapy can cause birth defects, so you should use contraception to avoid pregnancy until your doctor tells you it's safe to stop. See page 68 for more information.

## Hints & Tips – avoiding infections




- Avoid crowds and close contact, such as hugging or kissing, with people who have colds or flu and other infections. This includes chickenpox, shingles or measles. Let your doctor know if you are in contact with these or any other infections.
- Wash your hands often during the day, especially before you eat and after going to the toilet.
- Avoid unpasteurised milk, soft cheeses, undercooked meat and poultry, and the skin of raw vegetables and fresh fruit.
- If your temperature goes above 37.5°C (99.5°F) or below 35°C (95°F) or if you suddenly feel shivery or unwell, even if your temperature is normal, contact your doctor or the hospital immediately.
- Ask your doctor about getting vaccinations to protect you from infection before and after treatment.
- Ask your doctor about seeing a dentist before treatment starts.

## Report any side-effects



If you have any symptoms that are troubling you or you feel unwell, tell your doctor or nurse straight away. You will be given details of who to contact before you start your treatment.

For more information on the side-effects of chemotherapy or a copy of the booklet *Understanding chemotherapy and other cancer drugs*, call our Support Line on 1800 200 700 or visit a Daffodil Centre. You can also look at our website, [www.cancer.ie](http://www.cancer.ie) for tips on coping with different side-effects.



## Steroids

- Steroids can help some cancer drugs to work better.
- They can also help with side-effects.
- Usually you will be given steroids for short periods with chemotherapy.

Steroids are hormones that are made naturally in your body. Some treatments are more successful when steroids are given too. They can also help with some of the side-effects you might experience. They often help you to feel better quickly.

In most cases, if steroids are given for Hodgkin lymphoma, they are given for short periods with chemotherapy. They can be administered into a vein (intravenously) or given as tablets. There are a number of side-effects to steroids in the short term. These include:

- Increased appetite
- Feeling more energetic
- Stomach upsets
- Finding it hard to get to sleep

If you are taking steroid tablets, it is better to take them as early in the day as possible. Take them no later than 4pm if you find it hard to sleep at night.

### Other side-effects

If you have to take steroids for some time, there may be other temporary side-effects. For example:

- Puffy eyelids, hands, fingers and feet
- Raised blood pressure
- Increased sugar in your blood
- Mood or personality changes, such as feeling very happy, excited or angry

If you develop high blood sugars your doctor will prescribe treatment. This will need to be taken daily to bring your blood sugar back to normal. For this and other side-effects, the dose of steroids you are taking may need to be reduced.

Sometimes your treatment might involve taking steroids for a longer time. This can lead to weight gain and low resistance to infection. These side-effects are temporary and will gradually disappear as the steroid dose is reduced.

Usually you come off steroids gradually to allow your body to slowly get used to being without them. Ask your doctor or nurse for more information about steroids. You should always carry a card with you stating that you are taking steroids. This information would be very important if you suddenly became ill.



## Radiotherapy

- Radiotherapy uses high-energy rays to kill cancer cells.
- Radiotherapy is most useful when the Hodgkin lymphoma is only in one part of the body.
- Any side-effects normally go once your treatment is over, but some can last a long time or develop later on.

Radiotherapy is a treatment that uses high-energy rays to kill cancer cells. The aim of radiotherapy is to destroy the cancer cells with as little damage as possible to normal cells.

Radiotherapy may be given:

- On its own to try to destroy the cancer cells
- With chemotherapy to make the treatment work better

Radiotherapy can also be used to control and relieve symptoms. This is called palliative radiotherapy.

### External beam radiotherapy

The radiation comes from machines which aim rays directly at the cancer / area affected by cancer. The machines are called linear accelerators.

### Planning your external radiotherapy treatment

Radiotherapy must be carefully planned so that the highest dose is given to the affected area and as little as possible to the nearby cells.

You will have a CT scan to pinpoint the area to be treated. The treatment field or area will then be marked carefully on your skin, usually using tiny tattoo dots. The dose of radiation will be decided and tightly controlled for your treatment.

Lymphoma often affects the lymph glands around your head, neck and upper chest. If you are having radiotherapy to your head or

neck region, you will need to wear a mask to keep your head completely still during treatment. The mask is moulded from plastic to the shape of your face.

## Making your mask

You will need a plastic mould or mask fitted before treatment is given. Marks are put on the mask to show where treatment will be given. The mask keeps your head still. It can be made from clear plastic (Perspex) or thermoplastic.



## Getting your treatment

Radiotherapy is normally given in special cancer treatment centres, usually hospitals or clinics. As a result, the centre may be some distance from the hospital where you received chemotherapy.

During treatment you will first be positioned carefully on a treatment table. Then the machine will move around you so that you receive the precise treatment at different angles.

The treatment normally takes several minutes and is painless. Most people receive radiotherapy as outpatients, travelling to the radiotherapy unit each day.

**External radiotherapy does not make you radioactive. It's completely safe for you to mix with family and friends, including pregnant women and children.**



## How much radiotherapy do I need?

How long your treatment will take depends on the area being treated. It usually lasts between 2 and 4 weeks.

## Side-effects of treatment

Any side-effects tend to affect the area of the body being treated. Lymphoma often affects the lymph glands around your head, neck and upper chest, so you may experience:

- Difficulty swallowing or sore throat
- Sore mouth
- Nausea (feeling sick) and vomiting
- Diarrhoea
- Weight loss
- Skin changes
- Tiredness (fatigue)
- Shortness of breath
- Hair loss in the treated area

How severe these side-effects are will vary from person to person, depending on the amount of treatment you receive. Most side-effects develop during or shortly after your treatment and get better within a few weeks. Late side-effects may develop some time after treatment. Some side-effects are long-term or may even be permanent.

If you feel unwell or have any other side-effects or symptoms – during or at any time after treatment – tell your doctor, nurse or radiation therapist.

For more information on radiotherapy and side-effects or a copy of our booklet *Understanding Radiotherapy*, call our Support Line on 100 200 700 or visit a Daffodil Centre.

## Targeted therapies

Targeted therapies are drugs that target certain parts of cancer cells that make them different from other cells. In other words, they take advantage of differences between normal cells and cancer cells.

Different targeted therapies work in different ways. Targeted therapies can work to:

- Block or turn off chemical signals that tell the cancer cell to grow and divide
- Change proteins within the cancer cells so the cells die
- Stop new blood vessels growing to feed the cancer cells
- Carry toxins to the cancer cells to kill them

Targeted therapies may be used as part of your treatment. They are also sometimes used for Hodgkin lymphoma that has come back after treatment or when other treatments haven't worked. You may be given a targeted therapy together with chemotherapy.

Monoclonal antibodies are the type of targeted therapy usually used to treat Hodgkin lymphoma. Monoclonal antibodies trigger your immune system to attack cancer cells or target the cancer cells with drugs or a radioactive substance. An example is rituximab, which can be used for nodular lymphocyte-predominant Hodgkin lymphoma (see page 12).

Some drugs are given in tablet form. Others are given into a vein through a drip.

## Side-effects

Side-effects depend on the drugs being used and vary from person to person. Common side-effects include:

- Flu-like symptoms (fever, chills)
- Headaches
- Changes in blood pressure
- Fatigue
- Tummy pain
- Feeling sick
- Diarrhoea


Your doctor and nurse will explain your treatment to you in more detail and tell you about any likely side-effects. Always tell your doctor or nurse if you don't feel well or if you are having any symptoms that are troubling you.

### New targeted therapies



New targeted therapies are being developed all the time and existing therapies are being used in new ways. You may also be given a targeted therapy as part of a clinical trial (see page 57). Ask your doctor if there are any targeted therapies available to treat your cancer or if there are any trials that are suitable for you.

For more information on targeted therapies and their side-effects, or for a copy of the booklet *Understanding chemotherapy and other cancer drugs*, call our Support Line on 1800 200 700 or visit a Daffodil Centre.



## Immunotherapy

Immunotherapy treatment helps your immune system to work better to fight cancer cells.

Our immune system is often not good at recognising or clearing cancer cells from our body. Sometimes cancer cells find a way of hiding from the immune system, allowing cancer to develop. Immunotherapy treatments can change special immune cells to help them attack the cancer directly. They can also change other parts of the immune system to make it more difficult for cancer cells to grow.

Immunotherapy tends to be used in cases where your lymphoma hasn't responded to previous treatment or comes back after treatment.

### Checkpoint inhibitors



The newest class of systemic therapy (cancer treatment that targets the entire body) are immune checkpoint inhibitors.

A T-cell is a type of lymphocyte (white blood cell) that can be distinguished from other lymphocytes by the presence of a T-cell receptor on the surface of the cell.

The receptor, or protein complex, can turn on an immune response while other proteins turn it off. These are called checkpoints. Cancer cells sometimes find ways to use these checkpoints to hide from the immune system. They do this by making high levels of proteins to switch off T-cells, when the T-cells should really be attacking the cancer cells.

Checkpoint inhibitors work by blocking the proteins that stop the immune system from killing cancer cells. When checkpoint inhibitors block these proteins, this turns the immune system back on and the T-cells are able to find and destroy the cancer cells.

## Side-effects of immunotherapy

The side-effects of immunotherapies depend on the drugs being used and vary from person to person. Because immunotherapy acts on the immune system, it can cause inflammation in any part of your body.

Your doctor and nurse will explain your treatment to you in more detail and tell you about any likely side-effects.

Always tell your doctor or nurse straight away if you don't feel well or if you are having any symptoms that are troubling you.

## High-dose treatment with stem cell support

For a small number of patients there is a risk of the cancer coming back, despite treatment. Others may need more treatment if the first treatment has failed. In this case, high-dose chemotherapy may be given to kill off the lymphoma cells completely. However, giving high-dose chemotherapy will also destroy all your healthy blood cells in your bone marrow.

By collecting stem cells from your blood or bone marrow before the treatment and returning them to you after treatment, they can grow into new healthy blood cells to replace the ones that were destroyed.



## Peripheral blood stem cell transplant (PBSCT)

In this method, the stem cells are usually taken from your bloodstream. Stem cells are normally found in your bone marrow and are the most basic cells from which all other blood cells grow. For example, red cells, white cells and platelets. Before these stem cells can be collected from your bloodstream they must be moved out of your bone marrow. Drugs are usually given to make your bone marrow produce a lot of these stem cells. For example, chemotherapy and a special drug called a growth factor. As your bone marrow gets overcrowded, the extra stem cells spill into your bloodstream. They are then collected from your bloodstream using a special machine.

This method is called a peripheral blood stem cell harvest (PBSCH).

### Moving stem cells into your bloodstream

Chemotherapy is usually given for a day or so to move the stem cells into your bloodstream.

The growth factor is injected under your skin until there are enough stem cells to be collected. You can give the injections yourself or your doctor or nurse will do it for you.

### Collecting the stem cells

When your blood is ready, the stem cells can be collected. This takes about 4-5 hours. Usually it takes one day to collect all the stem cells but sometimes a second day is needed. The stem cells are collected using a central line or a drip placed in large veins in your arms. Blood is taken out through the drip into a machine that separates the stem cells from the rest of your blood. This is called a leukapheresis machine.

The stem cells are collected into a bag and the rest of the blood is returned to you. The stem cells are then frozen and stored until you have the high-dose chemotherapy.

### Returning the stem cells

After the high-dose chemotherapy, the stem cells are thawed out and returned to you through a drip or central line. These stem cells will

help your bone marrow recover from the effects of treatment. This normally takes about 2 weeks. However, it may take 3-12 months before you are fully recovered. You may need to stay in hospital for 2-3 weeks, due to infection or other effects of treatment.

Ask your nurse for more information about this treatment, or speak to a cancer nurse on our Support Line 1800 200 700 or at a Daffodil Centre. They can send you a copy of our booklet *Understanding Autologous Stem Cell Transplants* – or you can download it from our website [www.cancer.ie](http://www.cancer.ie)

## Clinical trials

Patients with cancer are sometimes asked to take part in a clinical trial. This means that instead of the standard treatment you get a new trial drug. Or you may be given existing treatments used in different ways. For example, giving a different dose of a drug or using two treatments together.

Because the drugs are still in trial, you'll be very closely monitored and may have extra tests and appointments.

Trials often investigate very specific features of a particular cancer or treatment, so you may not be suitable for a trial, even if it is researching your particular cancer. Your doctor can advise you about this.

### More information

It's best to talk to your doctor if you're interested in taking part in a clinical trial. For more information, you can read our factsheet *Cancer and Clinical Trials*. It's available to read or download on our website, [www.cancer.ie](http://www.cancer.ie). You can also get a free copy by calling our Support Line on 1800 200 700 or by dropping into a Daffodil Centre.

You can see a list of current cancer trials at [www.cancertrials.ie](http://www.cancertrials.ie)

## What if my illness comes back?

Many people have no further problems after their first treatment for Hodgkin lymphoma. Even if it does come back (recur), it can still be treated with chemotherapy and usually cured.

Sometimes treatment may only be able to control the Hodgkin lymphoma. In this case, it can improve your symptoms and give you a better quality of life. When deciding on treatment, your doctor will consider your general health and where the lymphoma is located. They will also take into account the kind of treatment you have had in the past.

Your doctor may advise different chemotherapy drugs, immunotherapy or targeted therapies that may help. There may also be treatments that you can have as part of a clinical trial (see page 57). Your doctor will tell you if there are any clinical trials that might be helpful for you.

In many cases, treatment can help you to live longer with better control of your symptoms. Your doctor will discuss the best treatment option for you with the healthcare team.

Thanks to recent advances in research and treatments, many people are living longer with cancer and with a better quality of life.

You can also have treatment to help with any symptoms. You may be referred to the palliative care team, who are experts in managing the symptoms of cancer.

## Palliative care



Palliative care helps you to manage your symptoms and improve your quality of life. Palliative care includes end-of-life care, but your doctor may also recommend palliative care to relieve symptoms earlier in your illness.

The palliative care team can include specially trained doctors, nurses, social workers, physiotherapists, occupational therapists, complementary therapists, chaplains and counsellors. Palliative care can be arranged by your family doctor (GP), public health nurse or by the hospital. Palliative care is a free service for all patients with advanced cancer. You don't need medical insurance.





## Managing side-effects and symptoms

How can I cope with fatigue?	63
Cancer and complementary therapies	65
Will treatment affect my sex life?	66
Will treatment affect my fertility?	68

## How can I cope with fatigue?

Fatigue means feeling extremely tired. Fatigue is a very common symptom of cancer. Usually fatigue improves once treatment is over, but it can carry on for some people. Tell your doctor or nurse if fatigue is affecting you, so that they can help you.

Fatigue when you have cancer can be caused by many things, including

- The cancer itself
- Tests and treatments for cancer
- Not eating well
- Low levels of red blood cells (due to the cancer or its treatment)
- Dealing with difficult emotions and feeling anxious or depressed
- Not sleeping well
- Symptoms like pain, breathlessness or fluid retention

Finding out what is causing your fatigue makes it easier to treat. For example, if you have a low red blood cell count, a transfusion can make you feel better. If you are not eating well, a dietitian may be able to give you some advice to help you.



## Hints & Tips – Fatigue



- Build rest periods into your day and save your energy for doing the things that are most important to you.
- Ask for help at work or at home, especially with cooking, housework or childcare.
- Try to eat well and drink plenty of fluids.
- Try to do some exercise – ask your doctor for advice about the best exercise for you.
- Try to avoid stress. Talk to friends and family about any worries you have and take time to enjoy yourself.
- If you are not sleeping well, try relaxation techniques and avoid stimulants like caffeine and alcohol before bedtime.
- Try complementary therapies if your doctor says they're safe for you. These might include meditation or massage.

Our booklet *Coping with fatigue* has more advice. Call our Support Line on 1800 200 700 or drop into a Daffodil Centre for a free copy. It's also on our website [www.cancer.ie](http://www.cancer.ie)



## Cancer and complementary therapies

Complementary therapies are treatments and activities that you can have along with your standard medical treatment to try and feel better. For example, massage, counselling and meditation.

Complementary therapies can't treat or cure cancer, but some people say that complementary therapies help them to feel more relaxed and better able to cope with their illness and the side-effects of treatment.

It's very important to talk to your doctor if you're thinking of using complementary therapies. Some can interfere with your treatment or be harmful to you, even if you have used them safely before your diagnosis.

## Integrative care



Integrative care means combining (integrating) your standard cancer treatment with complementary therapies to try to feel as well as possible and to cope better with your cancer.

## What's the difference between complementary and alternative therapies?

Complementary therapies are used **together with** standard medical treatment.

Alternative therapies are used **instead of** standard medical care.

Modern medical treatments are very effective at curing cancer and keeping it under control. An unproven alternative could harm your health, or you might miss out on a treatment that could really help you.

## More information

To find out more about complementary therapies, you can talk to one of our cancer nurses – call our Support Line on 1800 200 700 or visit a Daffodil Centre. You can also ask for a free copy of our booklet *Understanding cancer and complementary therapies*, or download it from our website [www.cancer.ie](http://www.cancer.ie)

## Will treatment affect my sex life?

Cancer can affect how you feel about sex and your relationships. Coming to terms with the fact that you have cancer can take quite a while. It can be hard to relax as well when you have a lot of worries on your mind. You may also be feeling tired from the effects of treatment and lose interest in sex as a result.

There is no right or wrong way to feel about your sexuality and sex life. Even if you do not feel like having sex, you can still enjoy a close and loving relationship with your partner. Touching and holding each other can help you to stay physically close.



You may find that talking about your feelings may ease any worries you have. If you find it hard to express your feelings to your partner or a close friend, talk to your doctor or nurse. They may refer you for specialist relationships counselling or sex therapy. This can help you and your partner deal with a change in your sexual relationship and find ways of being close again.

There is no set time for you to be ready to have sex again. It varies from person to person. Your doctor will advise if you can have sex while on radiotherapy. But you may find it will be some time before you will feel well enough to have sex again after treatment.

Some people fear that cancer can be passed on to a partner during sex. There is no truth to this.

## Contraception

If you are having sex and you are fertile, you should use a reliable method of contraception during and for some time after treatment. For example, some chemotherapy and other cancer drugs may harm a developing baby, so it's important to avoid pregnancy during and for a time after treatment.

Many specialists recommend that you wait for up to 2 years after treatment before trying to start a family or having more children. This time gives your body a chance to recover from the effects of the cancer and its treatment.

Ask your doctor's advice about contraception or if you are thinking about having children after treatment.

## Asking for advice

If you have any questions about how treatment may affect your sex life, you can ask your doctor or nurse. They are well used to talking about these matters, so try not to feel embarrassed. You can also call our Support Line on 1800 200 700 or visit a Daffodil Centre. You can discuss any worries you might have with a cancer nurse in confidence. Or email the nurses at [supportline@irishcancer.ie](mailto:supportline@irishcancer.ie)

## Will treatment affect my fertility?

Many couples go on to have healthy babies after one partner has been treated for Hodgkin lymphoma. However, some treatments for lymphoma and sometimes the disease itself can cause infertility. This infertility may be temporary or permanent.

If you were planning to start a family or have more children in the future, try to talk to your doctor as soon as possible. If you have a partner, you can visit the doctor together, so that you both understand any options open to you and have a chance to discuss any fears or worries.

Your doctor will tell you if your treatment is likely to cause infertility and if there is anything that can be done so that you can try to have children later on. For example, it may be possible to freeze your eggs or sperm before treatment begins. Your doctor can refer you to a specialist fertility clinic for advice, counselling and support if you think this is an option for you.

Sometimes there may not be time to freeze eggs before treatment starts, as the process can take a few weeks. Many lymphomas can be cured if treatment starts early enough, and so the doctors will be keen to start your treatment as soon as possible. Sperm banking (freezing sperm samples) takes less time than freezing and storing eggs.

### Coping with infertility

Coping with infertility can bring feelings of sadness, anger and loss of identity. It can help to talk through your worries with someone who is a good listener or with a professional counsellor. You can also call our Support Line on 1800 200 700 or visit a Daffodil Centre for information and support from a cancer nurse.

## After treatment

What follow-up will I need?	71
Life after treatment	72
Living a healthy lifestyle	73

## What follow-up will I need?

After your cancer treatment has ended you will still need regular check-ups. This is called follow-up. The follow-up may involve having a physical exam, blood tests and scans.

At first you will see your consultant every 3 months, but these check-ups will become less frequent over time.

Tell your doctor or nurse how you have been since your last appointment. Remember to tell them about any new symptoms, aches or pains you have, or if you are finding it hard to cope. Sometimes it helps to write down what you want to say before you see the doctor, so you don't forget anything.

It's important to attend your follow-up appointments as they will allow your doctor to check for signs of the cancer coming back (recurrence) and to help with any side-effects that you may have. They can also check for signs of new side-effects that may develop after you have finished treatment. It is better to be aware of these as early as possible so that suitable treatment can be given.

If you are between check-ups and have a symptom or problem that is worrying you, call your specialist nurse for advice or to arrange an earlier outpatient appointment if necessary.

If you become suddenly unwell and can't contact your specialist nurse or hospital team, go to your GP or the emergency department at the hospital.

Support Line Freephone 1800 200 700

## Life after treatment

It can take some time to adjust to life after cancer treatment. You may feel quite low and lost after your treatment has ended, especially during the first few months.

Feelings you may have include:

- **Fear of cancer coming back** and worrying about every small symptom
- **Loneliness** without the company and support of your medical team and fellow patients
- **Stress** at having to deal with things that may have been on hold during your treatment, such as your finances, going back to work or college and family or friendship issues
- **Isolation or guilt** if your family and friends expect you to get back to normal before you are ready
- **Anxiety and self-doubt** about sexual and romantic relationships
- **Anger** at what has happened and the effect on you and your loved ones
- **Depression or sadness**

There is more about how to cope with these feelings and adjusting to life after cancer on our website [www.cancer.ie](http://www.cancer.ie)

You can also call our Support Line or visit a Daffodil Centre to talk to a cancer nurse in confidence. See page 81 for other ways to get emotional support.

Email: [supportline@irishcancer.ie](mailto:supportline@irishcancer.ie)

## Living a healthy lifestyle

Many people want to live a healthy lifestyle after a diagnosis of lymphoma.

Having a healthy lifestyle is important as it can help you to:

- Feel better
- Heal and recover faster
- Keep up your energy and strength
- Reduce your risk of other illnesses

A healthy lifestyle includes:

- Exercising
- Eating well
- Not smoking
- Avoiding alcohol
- Protecting yourself from the sun

If you want more information or advice, call our Support Line on 1800 200 700 or visit a Daffodil Centre. You can also go to our website [www.cancer.ie](http://www.cancer.ie) for tips and publications on healthy living.





## Coping and emotions

How can I cope with my feelings?	77
Hodgkin lymphoma and young adults	78
Ways to get emotional support	81
You and your family	83

## How can I cope with my feelings?

Some people say that trying to cope with their thoughts and feelings is the hardest part of having cancer.

You may find it hard to come to terms with your diagnosis, you may blame yourself, resent other people who are healthy or feel very anxious or depressed.

Emotions like sadness, fear, grief, hopelessness and anger can happen at different times, sometimes months or years after treatment.

*A cancer diagnosis can be hard on you - mentally and emotionally. Give yourself time and space to deal with your emotions, and get help if you need it.*

A helpful booklet that discusses in detail how you may be feeling is called *Understanding the Emotional Effects of Cancer*. Call our Support Line on 1800 200 700 or visit a Daffodil Centre for a free copy.



## Hodgkin lymphoma and young adults

While most cancers tend to affect older people, a big proportion of Hodgkin lymphoma cases affect young people between the ages of 15 and 30.

If you're younger, a cancer diagnosis can really turn your life upside down, at a time when you're facing the challenges of establishing your own identity, your social and financial independence and coping with education and work worries.

As you try to get on with the practical business of having treatment and getting well, you might find yourself struggling with the emotional aspects of your illness as you deal with issues such as:

**Physical changes** – these might include hair loss and weight gain or loss

**Concerns about friendships and relationships** – will your friends understand your diagnosis and support you, or will they start avoiding you?

**Feelings, such as anger and resentment** – anger at what has happened and resenting having cancer when others do not

**Worries** about what to tell other people

**Fears** that the cancer will come back

It's normal to have some anxiety or strong emotions during and after treatment, but if you are feeling very depressed, or angry, it can affect many aspects of your life. Dealing with cancer is probably one of the most stressful situations you will ever be in. It's easy to forget about your emotional health, but it's important to talk to someone about your feelings and get help if you need it.

## Getting support

You may feel most comfortable talking to friends and family and people who care about you. On the other hand, you may find it hard to deal with their reactions and prefer to talk to someone less involved in your situation.

You could talk to one of our cancer nurses on our Support Line 1800 200 700 about support groups, or just to chat about how you feel. Or call in to your local Daffodil Centre to talk to a nurse.

Having a chat is a good first step. Our nurses can also tell you about online support groups for young people with cancer.



## Anxiety and depression

If you feel that anxiety or low moods are getting the better of you or you're finding it hard to cope, it's important to get help. Try to talk with someone you know who is a good listener, join a support group or tell your GP. Medical social workers can also offer support to you and your family.

Your doctor may also suggest medication to help with anxiety or depression. Often a short course of medication can work well. Professional counselling can also be very helpful.

## Counselling

If you're feeling very distressed or finding it hard to cope, a trained counsellor who is not involved in your situation can help you to express your feelings, worries and fears and make sense of them.

*It's not a sign of failure to ask for help or to feel unable to cope on your own.*

Counselling can also give you emotional support, help you to make decisions and learn ways to cope better.

Free one-to-one counselling is available through some local cancer support centres. To find out more about counselling call our Support Line on Freephone 1800 200 700 or visit a Daffodil Centre. Or email the nurses at supportline @irishcancer.ie

A list of counsellors funded by the Irish Cancer Society is available at [www.cancer.ie](http://www.cancer.ie)

Email: [supportline@irishcancer.ie](mailto:supportline@irishcancer.ie)

## Ways to get emotional support



**Find out about cancer support services in your area:** Most provide a range of helpful services like counselling, complementary therapies, exercise programmes and other activities. They can also give you practical advice and support. See page 102 for more about cancer support services.

*'Counselling has helped me with every part of my life.'*

**Join a support or educational group:** You might find it reassuring to talk to other people who are in a similar situation and facing similar challenges. Many cancer support centres have activities and groups where you can meet other people affected by cancer.

**Ask about psycho-oncology services at the hospital:** Hospital psycho-oncology services give cancer patients emotional and psychological support to help them cope. Your doctor, specialist nurse or medical social worker can refer you to psycho-oncology support services.

**Survivor Support:** Survivor Support is the Irish Cancer Society's one-to-one support programme. You can be put in contact with a trained volunteer who has dealt with a cancer diagnosis. Volunteers give support, practical information and reassurance. Call 1800 200 700 for more information or visit a Daffodil Centre.

**Get online support:** Special websites called online communities let you write questions, share stories, and give and receive advice and support. Visit [www.cancer.ie/community](http://www.cancer.ie/community) to join the Irish Cancer Society online community.



### Talk things through:

It can be a great weight off your mind to share your feelings and worries. You could talk to a friend or family member if you feel comfortable doing so. You could also speak to the medical social worker at the hospital or to one of our cancer nurses.

'Talking about cancer made it less awful and helped ease my fears. I learned to cope and understand myself better.'

**Seek spiritual support:** For some people spiritual and religious beliefs can bring comfort and hope. Practices such as prayer or meditation may help you to focus on what has value and meaning in your life.

If you need more information or help with finding support, call our Support Line on 1800 200 700 or drop into a Daffodil Centre.

Email: [supportline@irishcancer.ie](mailto:supportline@irishcancer.ie)

## Positive feelings



In time, some people say they can find positive things in their cancer experience. They say that cancer brought them closer to the people around them or made them appreciate what's important in life. Or it opened up new experiences and relationships.

'I am very happy and content ... even though I have to live with this.'

Getting support, such as counselling, may help you to come to terms with your diagnosis and feel more positive.

## You and your family

Every family deals with cancer in its own way. You may feel that you don't want your illness to upset family life, feel guilty that you can't join in as much as before, or that you're letting down your partner or children. You may also worry about the emotional impact your illness will have on your loved ones. Our booklet *Understanding the Emotional Effects of Cancer* can help to you find ways to talk about your cancer and to ask for the help and support you need.

### Further information and support

If you or your family members need more support or advice, speak to the medical social worker at the hospital or get in touch with one of our cancer nurses. Call us on 1800 200 700 or visit a Daffodil Centre. The nurses can also support you if you have children and aren't sure what to say to them. You could also read our booklet *Talking to Children about Cancer*, which has practical advice about how to talk to children of different ages.

## Changing relationships



You may feel that people are treating you differently. Some people may withdraw and not contact you as much because they are afraid of doing or saying the wrong thing. Others may not understand that you feel too unwell to go out. Try to talk openly to your friends and family if there are any misunderstandings or problems. Tell them how you feel. If you find it hard, ask another family member or friend to talk to them.



# Supporting someone with cancer

Supporting someone with cancer	87
How to talk to someone with cancer	88
Support for you	89

## Supporting someone with cancer

Finding out someone you love has cancer and trying to care for them can be difficult. You might be unsure about how best to support them, practically or emotionally. You might also be struggling with your own feelings and responsibilities.

Here are some things that can help to make life a little easier:

### Learn about cancer

Try to go to hospital visits and also read any information from the hospital so you can understand your loved one's illness and treatment, how it might affect them, physically and emotionally, and how you can best support them. Visit our website [www.cancer.ie](http://www.cancer.ie) or call our Support Line for free copies of our cancer information booklets.

### Share worries

If you are feeling anxious or overwhelmed, share your worries with someone else. Call our Support Line on 1800 200 700 or drop into a Daffodil Centre if you want to chat to a cancer nurse in confidence.

### Be kind to yourself

Your health and happiness matter too. Make some time for yourself, stay in touch with your friends and don't be afraid to let other people help out with the caring.

### Try counselling

You might find it helpful to talk to a counsellor. Free one-to-one counselling is available to friends and family members through our affiliated cancer support centres. Talk to your GP or see page 102.

### Find out about support for carers

Find out about groups and organisations for carers of people with cancer. Many local cancer support centres have services for carers too.

## How to talk to someone with cancer



When someone close to you has cancer it can be hard to know what to say. You may find it difficult to talk about their cancer. Or you may be afraid of saying the wrong thing. Often what people with cancer want most is someone to listen to them.

If you want advice on how to support a friend or loved one with cancer, call our Support Line on 1800 200 700. Ask for a copy of our booklet ***Lost for Words – How to talk to someone with cancer.***

The booklet gives advice on talking to someone with cancer. It also has tips to help you to feel more confident about supporting your friend or relative.

You can also pick up a copy of the booklet at any Daffodil Centre, or download it at [www.cancer.ie](http://www.cancer.ie)



## Support for you




Our cancer nurses are there to support you. Call our Support Line on 1800 200 700, visit a Daffodil Centre or email [supportline@irishcancer.ie](mailto:supportline@irishcancer.ie) for confidential support, advice and information.

Our booklet, ***Caring for Someone with Cancer***, has lots of information on:

- Getting organised
- Managing and giving medications
- Giving personal care
- Practical and money matters
- Relationships with other people
- Looking after yourself
- Life after caring

Free copies are available from our Daffodil Centres and our Support Line, or download it from our website [www.cancer.ie](http://www.cancer.ie)





## Support resources

Money matters	93
Irish Cancer Society services	96
Local cancer support services	102

## Money matters

- 
- If you have cancer you may not be able to work for a time. You may also have extra expenses.
  - You may have to pay for some of your cancer treatment.
  - You might be entitled to certain social welfare payments.
  - There are services to help you if you're finding it hard to manage.

A diagnosis of cancer often means that you will have extra expenses, such as medication, travel, heating and childcare costs. If you can't work or you are unemployed, this may cause even more stress. It may be harder for you to deal with your illness if you are worried about money.

### Medical expenses

Medical expenses that you might have to pay include:

- Visits to your family doctor (GP)
- Visits to hospital
- Overnight stays in hospital
- Medicines
- Medical aids and equipment (appliances), like wigs

How much you pay towards your medical expenses depends on whether or not you qualify for a medical card and what type of health insurance you have, if any.

**If you have a medical card**, you will probably have very little to pay for hospital and GP (family doctor) care or your medication. If you are over 70, you can get a free GP visit card.

Medical cards are usually for people on low incomes, but sometimes a card can be given even if your income is above the limit. For example, if you have a large amount of medical expenses. This is known as a discretionary medical card.

An emergency medical card may be issued if you are terminally ill and in palliative care, irrespective of your income.

**If you don't have a medical card** you will have to pay some of the cost of your care and medication.

**If you have health insurance** the insurance company will pay some of the costs, but the amount will depend on your insurance plan. It's important to contact your insurance company before starting treatment to check you're covered.

## Benefits and allowances

There are benefits that can help people who are ill and their family. For example, Illness Benefit, Disability Allowance, Invalidity Pension, Carer's Allowance, Carer's Benefit, Carer's Leave.



If you want more information on benefits and allowances, contact:

- **The medical social worker** in the hospital you are attending
- **Citizens Information** – Tel: 0761 074 000
- **Department of Employment Affairs and Social Protection** – Tel: 1890 662 244 or ask to speak to a DSP representative at your local health centre or DSP office.

Always have your PPS number to hand when you are asking about entitlements and benefits. It's also a good idea to photocopy completed forms before posting them.

## If you have money problems

If you are getting into debt or you are in debt, the Money Advice and Budgeting Service (MABS) can help you. MABS can look at your situation, work out your budget, help you to deal with your debts and manage your payments. The service is free and confidential. Call the MABS Helpline 0761 07 2000 for information.

If you are finding it hard to cope financially, contact your medical social worker in the hospital or your local health centre for advice. The Irish Cancer Society can also give some help towards travel costs in certain cases. See page 99 for more details of our Volunteer Driver Service and the Travel2Care fund.

You can also call our Support Line 1800 200 700 or visit a Daffodil Centre and the nurse will suggest ways to help you manage.

## More information

Go to [www.cancer.ie/publications](http://www.cancer.ie/publications) and check out our booklet, *Managing the Financial Impact of Cancer*. This explains:

- Medical costs and help available
- Benefits and allowances that you or your family may qualify for
- Travel services
- Ways to cope with the cost of cancer



The booklet also has lots of other information to help you manage the cost of cancer. For example, disability and mobility supports, help for people in financial difficulty, help for carers and living at home and nursing home supports.

## Irish Cancer Society services

Our Cancer Support Department provides a range of cancer support services for people with cancer, at home and in hospital, including:

- **Support Line**
- **Daffodil Centres**
- **Survivor Support**
- **Support in your area**
- **Patient travel and financial support services**
- **Night nursing**
- **Publications and website information**

### Support Line Freephone 1800 200 700

Call our Support Line and speak to one of our cancer nurses for confidential advice, support and information.

The Support Line is open Monday–Friday, 9am to 5pm. You can email us at any time on [supportline@irishcancer.ie](mailto:supportline@irishcancer.ie) or visit our Online Community at [www.cancer.ie](http://www.cancer.ie)

For the deaf community, our Support Line is using the Sign Language Interpreting Service (SLIS) using IRIS. Contact IRIS by text 087 980 6996 or email: [remote@slis.ie](mailto:remote@slis.ie)



## Daffodil Centres

Visit our Daffodil Centres, located in 13 hospitals nationwide. The centres are staffed by cancer nurses and trained volunteers who provide free confidential advice, support and information to anyone concerned about or affected by cancer.



### Who can use the Daffodil Centres?

Daffodil Centres are open to everyone – you don't need an appointment. Just call in if you want to talk or need information on any aspect of cancer including:

- Cancer treatments and side-effects
- End-of-life services
- Chemotherapy group education sessions
- Lifestyle and cancer prevention
- Emotional support
- Local cancer support groups and centres
- Practical entitlements and services
- Living with and beyond cancer

You can email [daffodilcentreinfo@irishcancer.ie](mailto:daffodilcentreinfo@irishcancer.ie) or visit [www.cancer.ie](http://www.cancer.ie) to find your local Daffodil Centre.

## Survivor Support



Speak to someone who has been through a diagnosis similar to yours. Our trained volunteers are available to provide emotional and practical support to anyone going through or finished with their treatment.

### Support in your area

We work with cancer support groups and centres and the National Cancer Control Programme to ensure patients and their families have access to high-quality confidential support in a location that's convenient to them. The Society funds professional one-to-one counselling (including telephone and video-call counselling) and group survivorship programmes in communities across the country.

For information about what's available near you, call our Support Line on 1800 200 700 or go to [www.cancer.ie](http://www.cancer.ie) and search 'Find Support'.

## Patient travel and financial support services



We provide practical and financial support for patients in need, travelling to and from their cancer appointments. There are two services available through the Society:

- **Travel2Care** is a limited fund, made available by the National Cancer Control Programme, for patients who are travelling for cancer tests or treatment to one of the national designated cancer centres or their approved satellite centres. Patients must be travelling over 50km one way to access the fund.
- **Irish Cancer Society Volunteer Driver Service** is mainly for patients undergoing chemotherapy treatments in our partner hospitals who are having difficulty getting to and from their local appointments.

To access either of these services please contact your hospital healthcare professional.

## Irish Cancer Society Night Nursing



We provide end-of-life care for cancer patients in their own home. We offer up to 10 nights of care for each patient. Our service allows patients to remain at home for the last days of their lives surrounded by their families and loved ones. This is a unique service in Ireland, providing palliative nursing care at night between 11pm and 7am to cancer patients.

The health professional who is looking after your loved one can request a night nurse for you, so talk to your palliative care team member, GP or public health nurse about this.

## Publications and website information



We provide information on a range of topics including cancer types, treatments and side-effects, coping with cancer, children and cancer, and financial concerns. Visit our website [www.cancer.ie](http://www.cancer.ie) or call our Support Line for free copies of our publications.

If you would like more information on any of our services, call our Support Line on 1800 200 700 or visit a Daffodil Centre.

## Local cancer support services

The Irish Cancer Society works with cancer support services all over Ireland. They have a range of services for cancer patients and their families, during and after treatment, many of which are free.

For example:

- **Professional counselling** (the Irish Cancer Society funds up to 8 sessions of free one-to-one counselling through many affiliated support services)



- **Support groups**, often led by professionals like social workers, counsellors, psychologists, or cancer nurses
- **Special exercise programmes**, like the Irish Cancer Society's *Strides for Life* walking group programme
- **Stress management and relaxation techniques**, such as mindfulness and meditation

- **Complementary therapies** like massage and reflexology
- **Specialist services** such as prosthesis or wig fitting and manual lymph drainage
- **Mind and body sessions**, for example, yoga and tai chi
- **Expressive therapies** such as creative writing and art
- **Free Irish Cancer Society publications** and other high-quality, trustworthy information on a range of topics



Cancer support services usually have a drop-in service where you can call in for a cup of tea and find out what's available.

You can call our Support Line on Freephone 1800 200 700 to find your nearest cancer support centre. Or see our online directory at [www.cancer.ie/cancer-information-and-support/cancer-support/find-support](http://www.cancer.ie/cancer-information-and-support/cancer-support/find-support)

## What does that word mean?

<b>Abdomen</b>	The part of your body that lies between your chest and hips. Sometimes called the belly or tummy.
<b>Alopecia</b>	Loss of hair. No hair where you normally have hair.
<b>Anaemia</b>	Fewer red blood cells in your blood. It can cause tiredness and shortness of breath.
<b>Antibody</b>	A protein in your body that attacks and kills germs or cells that cause disease.
<b>Anti-emetic</b>	A tablet, injection or suppository to stop you feeling sick or vomiting.
<b>Autologous</b>	The use of a person's own tissue, for example, when cells are taken from your bone marrow or blood.
<b>Benign</b>	Not cancer. A tumour or growth that does not spread.
<b>Biopsy</b>	Removing a small amount of tissue from your body to find out if lymphoma cells are present.
<b>Cells</b>	The building blocks that make up your body. They are tiny and can only be seen under a microscope.
<b>Chemotherapy</b>	Treatment using drugs that cure or control cancer.
<b>Diaphragm</b>	A thin muscle under your heart and lungs that separates your chest from your abdomen.
<b>Fatigue</b>	Ongoing tiredness often not helped by rest.

<b>Intravenous</b>	Into a vein.
<b>Lymph</b>	A clear watery fluid that carries material through your lymphatic system.
<b>Lymph node</b>	A small oval or round gland found along the lymph vessels that removes bacteria and foreign particles from your body.
<b>Lymphocytes</b>	Small white blood cells that help to protect your body against infection and disease.
<b>Lymph vessels</b>	Tubes carrying lymph that connect to lymph nodes.
<b>Malignant</b>	Cancer. A tumour that spreads.
<b>Medical oncologist</b>	A doctor who specialises in treating cancer patients using chemotherapy and other drugs.
<b>Monoclonal antibody</b>	Treatment using a man-made antibody to fight disease.
<b>Nausea</b>	Feeling sick.
<b>Oncology</b>	The study of cancer.
<b>Prognosis</b>	The expected outcome of a disease.
<b>Radiation oncologist</b>	A doctor who specialises in treating cancer patients using radiotherapy.
<b>Radiation therapist</b>	A radiographer who plans and delivers the radiotherapy treatment.
<b>Radiotherapy</b>	The treatment of cancer using high-energy X-rays.
<b>Remission</b>	When the lymphoma has been reduced or can no longer be found in your body.

**Targeted therapies** Drugs that stop the growth of particular types of cancer cells using your immune system. Also known as biological therapies.

**Staging** Tests that measure the size and extent of cancer.

**Thrombocytopenia** Fewer platelets in your blood. This can cause you to bleed and bruise easily.



## Questions to ask your doctor

Here is a list of questions that you might like to ask. There is also some space for you to write down your own questions if you wish. Never be shy about asking questions. It is always better to ask than to worry.

What is Hodgkin lymphoma? Where exactly is it?

---

What is the stage of the disease?

---

What type of treatment do I need?

---

How successful is this treatment for my cancer?

---

Are there other treatment options? Why is this one best for me?

---

How long will my treatment take?

---

Do I have to stay in hospital for my treatment?

---

What side-effects or after-effects will I get?

---

Should I expect any late or long-term side-effects?

---

Do I need to use contraception during my treatment? What will happen if I, or my partner, get pregnant?

---

Is there anything I can do to help myself during treatment?

---

Should I eat special foods?

---

Will treatment affect my normal life and activities?

---

How will I know if my illness has come back?

---

---

## Your own questions

---

---

---

---

---

---

---

---

---

---

---



## Join the Irish Cancer Society team

If you want to make a difference to people affected by cancer, join our team!

### Support people affected by cancer

Reaching out directly to people with cancer is one of the most rewarding ways to help:

- Help people needing lifts to hospital by becoming a volunteer driver
- Give one-on-one support to someone newly diagnosed with cancer as part of our Survivor Support programme
- Give information and support to people concerned about or affected by cancer at one of our hospital-based Daffodil Centres

### Share your experiences

Use your voice to bring reassurance to cancer patients and their families, help people to connect with our services or inspire them to get involved as a volunteer:

- Share your cancer story
- Tell people about our services
- Describe what it's like to organise or take part in a fundraising event

### Raise money

All our services are funded by the public's generosity:

- Donate direct
- Take part in one of our fundraising events or challenges
- Organise your own event

Contact our Support Line on Freephone 1800 200 700 if you want to get involved!

### Did you like this booklet?

We would love to hear your comments or suggestions.  
Please email [reviewers@irishcancer.ie](mailto:reviewers@irishcancer.ie)

**Irish Cancer Society**

43/45 Northumberland Road, Dublin 4

T: 01 231 0500

E: [info@irishcancer.ie](mailto:info@irishcancer.ie)

W: [www.cancer.ie](http://www.cancer.ie)

Support Line Freephone 1800 200 700

Email: [supportline@irishcancer.ie](mailto:supportline@irishcancer.ie)

Find us on Facebook

Follow us on Twitter: @IrishCancerSoc

